

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.39

LIBRARY,
U.S. Department of Agriculture,
Washington, D. C.

TRADE LIST

Old Colony Nursery

SPRING, 1908

T. R. WATSON,
Plymouth, Massachusetts

TRADE LIST

Old Colony Nursery

SPRING, 1908

T. R. WATSON,

Plymouth, Massachusetts

CANCELS ALL PREVIOUS LISTS.

SPRING TRADE LIST, 1908.

1840 **Old Colony Nursery** 1908

T. R. Watson

Plymouth, Massachusetts.

Prices on this list net and Subject to stock not being sold.

GUARANTEE.—We take the greatest pains to have every plant marked true to name. Any plant incorrectly marked will be promptly replaced, or money returned. We do not guarantee any more than the original cost of the plant.

We can not guarantee plants to live, at the prices of this catalogue. We send out young, thrifty plants, which should live if properly planted and cared for.

Delivery of all packages to freight or express free.

We do not pay either freight or express.

All plants at the risk of the purchaser after they are delivered to the public carrier.

Please say whether you will have your order sent by freight or by express.

Meeting dates: Where sufficient notice is given, weather permitting, plants will be shipped on a given date.

Please give date on which you want them shipped, and not the date on which you want them to arrive.

No man living can tell how long it will take a freight package to reach any point in the country, at a moment's notice.

On orders received before the middle of March, the schedule time of freight will be ascertained, if desired.

Express packages arrive in Boston on day of shipment.

Express packages arrive in New York on following day.

Freight packages arrive in Boston the day after shipment.

Freight packages due to arrive in New York the day after shipment.

TERMS.—Cash with order or satisfactory references, except where parties are known.

Bills of regular customers become due June 1st for Spring shipments; January 1st for Fall shipments.

Box, 10 cents to 50 cents. Bales, 25 cents to \$1.50.

Cases.

| | | | |
|-----------------------------|--------|----------------------------|------|
| 2 ft. by 2 ft. by 10 ft., | \$2.00 | 20 in. by 20 in. by 8 ft., | 1.50 |
| 2 ft. by 2 ft. by 8 ft., | 1.75 | 20 in. by 20 in. by 6 ft., | 1.25 |
| 2 ft. by 2 ft. by 6 ft., | 1.50 | 20 in. by 20 in. by 5 ft., | 1.00 |
| 2 ft. by 2 ft. by 5 ft., | 1.25 | 20 in. by 20 in. by 4 ft., | .75 |
| 2 ft. by 2 ft. by 4 ft., | 1.00 | 16 in. by 16 in. by 6 ft., | 1.00 |
| 16 in. by 16 in. by 10 ft., | 1.50 | 16 in. by 16 in. by 5 ft., | .75 |
| 16 in. by 16 in. by 8 ft., | 1.25 | 16 in. by 16 in. by 4 ft., | .50 |
| 20 in. by 20 in. by 10 ft., | \$1.75 | | |

DECIDUOUS TREES AND SHRUBS.

Fifty at the rate for 100.

Five at the rate for 10.

Less than five at the rate for ten, where the price is twenty-five cents each or over.

Less than five, add five cents each to rate for ten, where the rate for ten is less than twenty-five cents.

Prices subject to stock not being sold.

| | | Per 10 | Per 100 |
|-----|--|-------------------|------------|
| 20 | Acer campestre, | 3 to 4 ft. | 2.00 |
| 20 | — dasycarpum var. Wieri laciniatum, $\frac{3}{4}$ | to 1 in. caliper, | |
| | | 8 to 10 ft. | 5.00 |
| 20 | — — — — — | 6 to 8 ft. | 2.50 |
| 100 | — palmatum, Japanese Maple (type) | 4 to 5 ft. | 2.50 |
| 200 | — Pennsylvanicum (striatum) | 4 to 5 ft. | 4.00 35.00 |
| 150 | — — — | 2 to 3 ft. | 2.00 15.00 |
| 100 | — platinoides, Norway Maple, | 8 to 10 ft. | 7.50 60.00 |
| 100 | — — — — — | 5 to 6 ft. | 2.50 20.00 |
| 20 | — Pseudo-Platanus atropurpureum, | 8 to 10 ft. | 7.50 |
| 100 | — — — — — | 5 to 7 ft. | 3.50 30.00 |
| 100 | — rubrum, | 4 to 5 ft. | 3.00 25.00 |
| 100 | — saccharinum, Sugar Maple, $\frac{3}{4}$ to 1 in, | 9 to 10 ft. | 3.00 |
| 100 | — — — | 6 to 7 ft. | 2.00 |
| 100 | — spicatum, | 3 to 4 ft. | 3.50 |
| 200 | — — — | 2 to 3 ft. | 3.00 25.00 |
| 15 | — Schwedleri, | 9 to 10 ft. | 7.50 |
| 50 | — — — | 5 to 7 ft. | 4.00 |
| 20 | — Tartaricum var. Ginnala, | 6 to 7 ft. | 5.00 |
| 75 | — — — — — | 3 to 4 ft. | 3.00 25.00 |
| 100 | — — — — — | 2 to 3 ft. | 2.50 20.00 |
| 5 | Aesculus Hippocastaneum, heavy, | 9 to 10 ft. | 10.00 |
| 50 | — — — | 6 to 8 ft. | 5.00 40.00 |
| 25 | — — rubicunda, | 6 to 7 ft. | 7.50 |
| 10 | — — dble. white, | 6 to 7 ft. | 6.00 |
| 10 | — macrostachya, | 3 to 4 ft. | 6.00 |
| 400 | Alnus incana, | 18 to 24 in. | 1.00 6.00 |
| 40 | Amelanchier Canadensis rotundifolia, | 18 to 24 in. | 1.50 |
| 10 | Andromeda arborea, | 2 to 3 ft. | 3.50 |
| 25 | — Mariana, | 18 to 24 in. | 2.50 |
| 10 | — polifolia, | 10 to 12 in. | 4.00 |
| 20 | Aralia spinosa, | 5 to 6 ft. | 2.00 |
| 20 | — — — | 4 to 5 ft. | 1.60 |
| 100 | Azalea arborescens, | 18 to 24 in. | 3.00 |
| 10 | — calendulacea, | 2 to 3 ft. | 5.00 |

| | | Per 10 | Per 100 |
|--|--------------|--------|---------|
| 80 Azalea calendulacea, | 18 to 24 in. | 3.00 | |
| 300 — mollis, 15 to 20 buds, | 15 in. | 3.00 | 25.00 |
| 50 — Ghent Hybrids, in var., | 18 to 24 in. | 6.00 | |
| 25 — Vaseyi, | 12 to 18 in. | 3.00 | |
| 300 Baccharis halimifolia, heavy, | 2 to 3 ft. | 1.50 | 10.50 |
| 500 — — | 18 to 24 in. | .70 | 6.00 |
| 500 Berberis Thunbergii, | 18 to 24 in. | 1.00 | 8.00 |
| 1800 — — | 12 to 18 in. | .75 | 6.00 |
| 5000 — — trans., | 8 to 12 in. | .50 | 4.00 |
| 300 — vulgaris, | 2 to 3 ft. | .90 | 8.00 |
| 1000 — — | 18 to 24 in. | .70 | 6.00 |
| 1000 — — purpurea, | 2 to 3 ft. | .90 | 8.00 |
| 1000 — — — | 18 to 24 in. | .75 | 6.00 |
| 500 Betula alba, | 2 to 3 ft. | 1.00 | 8.00 |
| 100 — nigra, bushy, | 4 to 5 ft. | 2.50 | 20.00 |
| 500 — — — | 2 to 3 ft. | 1.50 | 10.00 |
| 150 — papyrifera, | 5 to 7 ft. | 3.00 | 25.00 |
| 300 — — | 3 to 4 ft. | 2.50 | 20.00 |
| 100 — populifolia, | 2 to 3 ft. | 1.50 | 12.00 |
| 50 Caragana arborescens, | 3 to 4 ft. | 1.50 | 12.00 |
| 300 — — | 18 to 24 in. | 1.00 | 8.00 |
| 50 Calycanthus floridus, | 2 ft. | 1.50 | 12.00 |
| 500 — — | 8 to 12 in. | .60 | 5.00 |
| 25 — lævigatus, | 2 to 3 ft. | 2.00 | |
| 400 Caryopteris Mastacanthus, blue spiræa, | 15 to 20 in. | 1.00 | 8.00 |
| 20 Castanea sativa, American Chestnut, | 4 ft. | 1.50 | |
| 25 Catalpa speciosa, | 7 to 8 ft. | 1.50 | |
| 25 — — | 5 to 6 ft. | 1.20 | |
| 250 — — | 2 to 3 ft. | 1.00 | 8.00 |
| 100 Ceanothus Americanus, | 2 ft. | 1.20 | 10.00 |
| 1000 — — | 12 to 18 in. | 1.00 | 8.00 |
| 25 Celtis occidentalis, | 5 to 6 ft. | 2.00 | |
| 10 Cercidphyllum Japonicum, | 8 to 10 ft. | 7.50 | |
| 10 — — | 5 to 7 ft. | 5.00 | |
| 50 Cercis Canadensis, | 4 to 5 ft. | 2.00 | |
| 200 — — | 3 to 4 ft. | 1.50 | 12.00 |
| 25 Chionanthus Virginica, | 2 to 3 ft. | 1.50 | |
| 50 Cladrastis tinctoria (Virgilea lutea) | 5 to 6 ft. | 4.00 | |
| 50 — — (— —) | 4 to 5 ft. | 3.50 | |
| 300 Clethra alnifolia, | 18 to 24 in. | 1.00 | 8.00 |
| — — col., single stem, | | | 4.00 |
| 50 Cornus florida, | 3 to 4 ft. | 2.00 | |
| 500 — — | 2 to 3 ft. | 1.75 | 15.00 |
| 80 — — rubra, | 3 to 4 ft. | 6.00 | |

| | | Per 10 | Per 100 |
|-----|---|--------------|------------|
| 30 | <i>Cornus mas</i> , | 3 to 4 ft. | 1.25 |
| 200 | — <i>paniculata</i> , | 3 ft. | 1.00 8.00 |
| 200 | — <i>sanguinea</i> , | 4 to 5 ft. | 1.50 12.00 |
| 75 | — <i>sericea</i> , | 5 to 6 ft. | 2.50 20.00 |
| 500 | — <i>stolonifera</i> , var. <i>Siberica</i> , | 2 to 3 ft. | 1.00 8.00 |
| 25 | — — — <i>aurea</i> , | 4 to 5 ft. | 2.50 |
| 20 | — — — <i>elegantissima</i> , | 3 to 4 ft. | 1.50 |
| 100 | <i>Cotoneaster Simonsii</i> , | 3 to 4 ft. | 2.00 15.00 |
| 50 | <i>Cratægus coccinea</i> , | 3 to 4 ft. | 1.50 12.00 |
| 50 | — <i>cordata</i> , | 2 to 3 ft. | 2.00 15.00 |
| 15 | — <i>Crus-galli</i> , cut back, stocky, | 6 to 8 ft. | 2.50 |
| 150 | — — — — — | 3 to 4 ft. | 2.00 15.00 |
| 50 | — <i>mollis</i> , | 5 to 6 ft. | 1.50 10.00 |
| 100 | — — — | 3 to 4 ft. | 1.00 8.00 |
| 100 | — — — | 2 to 3 ft. | .80 6.00 |
| 250 | <i>Desmodium penduliflorum</i> , | 2 to 3 ft. | 1.50 12.00 |
| 300 | <i>Deutzia gracilis</i> , stocky, | 18 to 24 in. | .75 6.00 |
| 500 | — — — | 8 to 12 in. | .60 5.00 |
| 10 | — <i>parviflora</i> , | 2 to 3 ft. | 2.00 |
| 50 | — <i>scabra</i> , dble. rose, | 4 to 5 ft. | 1.00 10.00 |
| 200 | — — — — — | 18 to 24 in. | .60 5.00 |
| 50 | — — — white | 4 to 5 ft. | 1.00 10.00 |
| 200 | — — — — — | 18 to 24 in. | .60 5.00 |
| 50 | — — <i>Fortunei</i> , single white, | 3 to 4 ft. | 1.00 8.00 |
| 200 | — — — — — | 18 to 24 in. | .60 5.00 |
| 50 | — — <i>Pride of Rochester</i> , | 4 to 5 ft. | 1.00 10.00 |
| 200 | — — — — — | 18 to 24 in. | .60 5.00 |
| 300 | — <i>Welsii</i> , | 4 to 5 ft. | 1.00 10.00 |
| 30 | <i>Diervilla florida</i> , <i>Weigelia rosea</i> , | 6 to 7 ft. | 2.50 |
| 50 | — — — — — | 2 to 2½ ft. | 1.20 10.00 |
| 20 | — <i>amabilis</i> , | 6 to 7 ft. | 2.00 |
| 50 | — <i>florida variegata</i> , | 2 to 2½ ft. | 1.50 12.00 |
| 100 | <i>Eleagnus hortensis</i> , <i>Bohemian Olive</i> , | 2 to 3 ft. | 2.50 20.00 |
| 100 | — <i>longipes</i> , | 3 to 4 ft. | 1.75 15.00 |
| 500 | — — — | 1 to 2 ft. | 1.00 8.00 |
| 25 | <i>Euonymus Europæus</i> , | 4 to 6 ft. | 1.50 |
| 500 | — <i>Japonicus radicans</i> , var. <i>viridis</i> , | 12 to 15 in. | 1.50 12.00 |
| 20 | <i>Fagus ferruginea</i> , | 5 to 6 ft. | 6.00 |
| 85 | — <i>sylvatica</i> , | 8 to 12 ft. | 10.00 |
| 50 | — — fine, | 6 to 8 ft. | 7.50 |
| 4 | — — var. <i>Fern-leaved</i> , | 4 to 5 ft. | 6.00 |
| 25 | — — — weeping, | 2 to 3 ft. | 4.00 |
| 25 | — — <i>purpurea</i> , <i>Rivers</i> , | 3 to 4 ft. | 4.00 |
| 10 | — — — seedlings, | 4 to 5 ft. | 5.00 |

| | | Per 10 | Per 100 |
|---|----------------------|--------|---------|
| 350 Forsythia Fortunei, heavy, trans., '07, | 5 ft. | 1.75 | 15.00 |
| 200 — — — — '06, | 3 to 4 ft. | 1.25 | 10.00 |
| 500 — — 1 year, trans. | 2 to 3 ft. | 1.00 | 9.00 |
| 250 — intermedia, heavy, trans., '05, | 4 to 5 ft. | 1.75 | 15.00 |
| 200 — — — — '07, | 18 to 24 in. | 1.00 | 8.00 |
| 200 — suspensa, | 2 to 3 ft. | 1.00 | 8.00 |
| 50 Fraxinus Americana, 1½ to 2 in. caliper, | 10 to 15 ft. | 5.00 | |
| 40 — sambucifolia, | 5 to 6 ft. | 2.00 | |
| 50 — — | 3 to 4 ft. | 1.50 | |
| 20 — pubescens, 1½ to 2 in. caliper, | 12 to 15 ft. | 10.00 | |
| 200 Genista tinctoria, | 2 to 3 ft. | 1.00 | 8.00 |
| 4 Ginkgo biloba, | 5 to 7 ft. | 3.00 | |
| 100 — — | 2 to 4 ft. | 2.00 | |
| 25 Gymnocladus Canadensis, | 5 to 6 ft. | 2.00 | |
| 100 Halesia tetraptera, | 3 to 4 ft. | 2.50 | 20.00 |
| 10 Hamamelis Virginiana, | 6 ft. | 2.00 | |
| 100 — — | 2 to 3 ft. | 1.75 | 15.00 |
| 400 — — | 12 to 18 in. | 1.00 | 8.00 |
| 25 Hibiscus Syriacus, assorted, | 4 to 6 ft. | 2.50 | |
| 300 — — Althaea, | 18 to 24 in. | 1.25 | 10.00 |
| Ardens, | Jean d' Arc, | | |
| Coelestis, | Grandiflora superba, | | |
| Duchess de Brabant, | Lady Stanley, | | |
| Boule de Feu, | Pulcherrima, | | |
| Compte de Hainet, | Pompon Rouge, | | |
| 100 Hippophae rhamnoides, | 3 to 4 ft. | 1.50 | 12.00 |
| 500 — — | 18 to 24 in. | 1.00 | 8.00 |
| 50 Hydrangea arborescens, | 2 to 3 ft. | 1.50 | 12.00 |
| 50 — paniculata, | 2 to 3 ft. | 2.00 | 15.00 |
| 25 — — grandiflora, | 3 to 4 ft. | 2.50 | |
| 200 — — — | 2 to 3 ft. | 1.25 | 10.00 |
| 300 — — — | 18 to 24 in. | 1.00 | 8.00 |
| 40 Hypericum aureum, | 18 to 24 in. | 2.00 | |
| 25 — prolificum, | 18 to 24 in. | 1.00 | |
| 10 Ilex verticillata, clumps with berries, | 3 to 4 ft. | 10.00 | |
| 50 — — | 2 to 3 ft. | 1.50 | |
| 500 — — | 18 to 24 in. | 1.00 | 8.00 |
| 20 Juglans cinerea, Butternut, | 6 to 7 ft. | 2.00 | |
| 100 — — — | 5 to 6 ft. | 1.75 | 15.00 |
| 150 Jasminum nudiflorum, | 12 to 15 in. | 1.50 | 12.00 |
| 50 Kalmia latifolia, | 12 to 18 in. | 4.00 | |
| 50 Kerria Japonica, single yellow and var., | 18 to 24 in. | 1.00 | 8.00 |
| 100 — — dble., | 2 to 3 ft. | 1.25 | 10.00 |
| 100 Kœlreuteria paniculata, | 7 to 8 ft. | 4.00 | 35.00 |

| | | Per 10 | Per 100 |
|---|--------------|--------|---------|
| 7 Laburnum vulgare, | 8 to 10 ft. | 4.00 | |
| 10 — — | 5 to 6 ft. | 2.00 | |
| 20 Leucothoe Catesbaei, | 2 to 3 ft. | 4.00 | |
| 100 Ligustrum ciliatum, stocky, fine, (Media) | 3 to 4 ft. | 1.00 | 6.00 |
| 300 — Ibota, heavy, | 2 to 3 ft. | 1.00 | 9.00 |
| 800 — — | 2 to 3 ft. | .75 | 7.00 |
| 300 — — | 18 to 24 in. | .60 | 5.00 |
| 200 — ovalifolium, | 2 to 3 ft. | .50 | 4.00 |
| 200 — — | 12 to 18 in. | .40 | 3.00 |
| 900 — Regelianum, | 2 to 2½ ft. | 1.25 | 10.00 |
| 800 — — | 18 to 24 in. | 1.00 | 8.00 |
| 50 — vulgare, | 3 to 5 ft. | 1.00 | |
| 750 — — light, | 2 to 3 ft. | .50 | 4.00 |
| 10 Linder a benzoin, | 3 to 4 ft. | 1.50 | |
| 15 Liquidambar styraciflua, | 4 to 5 ft. | 3.00 | |
| 30 Liriodendron Tulipifera, Tulip Tree, | 5 to 6 ft. | 2.00 | |
| 60 — — — — | 3 to 4 ft. | 1.25 | 10.00 |
| 100 Lonicera Alberti, strong, | 1 to 2 ft. | 1.50 | 12.00 |
| 200 — Bella candida, | 3 to 4 ft. | 1.50 | 12.00 |
| 200 — — rosea, | 3 to 4 ft. | 1.50 | 12.00 |
| 25 — Korolkowii, | 4 to 5 ft. | 2.00 | |
| 200 — — | 3 to 4 ft. | 1.50 | 12.00 |
| 50 — Ruprechtiana, | 2 to 3 ft. | 1.25 | 10.00 |
| 50 — Virginalis alba, | 3 to 4 ft. | 1.25 | 10.00 |
| 50 Lycium vulgare, | 4 to 5 ft. | 1.00 | 8.00 |
| 150 — — | 2 to 3 ft. | .75 | 6.00 |
| 50 Magnolia accuminata, | 5 to 7 ft. | 3.00 | |
| 9 — Soulangeana, | 3 ft. | 10.00 | |
| 8 — speciosa, | 3 ft. | 10.00 | |
| 10 — tripetala, | 3 to 5 ft. | 3.00 | |
| 800 Myrica Cerifera, | 8 to 12 in. | 1.25 | 10.00 |
| — asplenifolia, col., | 1 to 2 ft. | | 3.00 |
| 100 Philadelphus coronarius, heavy, | 6 to 7 ft. | 1.50 | 12.00 |
| 100 — — | 3 to 4 ft. | 1.25 | 10.00 |
| 200 — — | 2 to 3 ft. | 1.00 | 8.00 |
| 50 — grandiflorus, | 5 to 6 ft. | 1.25 | 10.00 |
| 100 — — | 2 to 3 ft. | 1.00 | 8.00 |
| 100 Physocarpus opulifolia, | 3 ft. | 1.25 | 10.00 |
| 400 — — | 18 to 24 in. | 1.00 | 8.00 |
| 50 — — aurea, | 2 to 3 ft. | 1.50 | 12.00 |
| 400 — — — | 18 to 24 in. | 1.00 | 8.00 |
| 30 Populus balsamifera, | 6 to 8 ft. | 1.50 | |
| 50 — monolifera, Carolina Poplar, | 8 to 10 ft. | 2.50 | 20.00 |
| 200 — — | 5 to 6 ft. | 1.25 | 10.00 |

| | | Per 10 | Per 100 |
|--|---|--------------|------------|
| 300 | <i>Populus nigra</i> , var. <i>Italica</i> (Lombardy) | 8 to 10 ft. | 3.00 25.00 |
| 300 | — — var. <i>Italica</i> , | 5 to 6 ft. | 1.50 12.00 |
| 10 | <i>Prunus Americana</i> , var. <i>nigra</i> , | 5 to 8 ft. | 2.00 |
| 3 | — <i>avium</i> fl. pl. Anthony Waterer, 3 in. caliper, standards, \$5.00 each | | |
| 6 | — — — — — | 8 to 10 ft. | 10.00 |
| 10 | — — — — — standards, | 7 to 8 ft. | 7.50 |
| 50 | — — fl. pl., <i>alba</i> , | 4 to 5 ft. | 3.00 25.00 |
| 100 | — — fl. pl., <i>alba</i> , | 4 ft. | 2.50 20.00 |
| 30 | — <i>Japonica</i> (Almond) white dble., | 2 to 3 ft. | 3.00 |
| 30 | — — — rose dble., | 2 to 3 ft. | 3.00 |
| 150 | — <i>maritima</i> , | 3 to 4 ft. | 1.50 12.00 |
| 200 | — — | 2 to 3 ft. | 1.25 10.00 |
| 200 | — — | 18 to 24 in. | .60 5.00 |
| 6 | — <i>Pissardi</i> , | 5 to 7 ft. | 3.50 |
| 50 | — — | 4 to 6 ft. | 1.50 12.00 |
| 5 | — <i>pendula</i> , Weeping, Rose flowered Japanese Cherry, 7 to 8 ft., \$1.50 each | | |
| 10 | — — grafted low, | 4 to 5 ft. | 10.00 |
| 4 | <i>Pterostyrax hispida</i> , | 6 to 7 ft. | 10.00 |
| 10 | <i>Pyrus Americana</i> , | 8 to 10 ft. | 3.00 |
| 50 | — — | 3 to 4 ft. | 2.00 |
| 50 | — <i>Aucuparia</i> , | 7 to 8 ft. | 2.50 |
| 50 | — <i>Arbutifolia</i> , | 2 to 3 ft. | 1.00 8.00 |
| 25 | — — <i>atrosanguinea</i> , | 4 to 5 ft. | 5.00 |
| 30 | — <i>Niedwitskiana</i> , | 4 to 5 ft. | 3.00 |
| 20 | — <i>Scheideckeri</i> , | 3 to 4 ft. | 3.00 |
| 45 | — <i>spectabilis</i> , fl. pl., <i>alba</i> , | 4 to 5 ft. | 2.50 |
| 15 | — <i>Toringo</i> (pink), | 4 to 5 ft. | 2.50 |
| This came to me from the Arnold Arboretum. It is identical with <i>Pyrus floribunda atrosanguinea</i> , and it is one of the best of all the flowering apples. Absolutely hardy. It has bloomed every year for the last ten years here. | | | |
| 25 | <i>Pyrus Toringo</i> (white), | 4 to 5 ft. | 2.50 |
| This received as <i>P. toringo</i> from France. | | | |
| Coronaria, Floribunda, Ionensis and above flowering ap- ples in one year grafts at \$15.00 per hundred. | | | |
| 1000 | — <i>Japonica</i> , mixed colors, Japan Pear, | 3 to 4 ft. | 1.00 8.00 |
| 500 | — — — — | 2 to 3 ft. | .75 6.00 |
| 50 | — — Japan Pear, Maulei, | 2 ft. | 2.00 15.00 |
| 10 | — — <i>pigmæa</i> , | 2 ft. | 3.00 |
| 70 | <i>Quercus coccinea</i> , trans., | 5 to 6 ft. | 6.50 60.00 |
| 100 | — — — | 3 to 4 ft. | 3.00 25.00 |

| | | Per 10 | Per 100 |
|-------------------------------------|--------------|--------|---------|
| 150 <i>Quercus palustris</i> , | 8 to 10 ft. | 7.00 | 65.00 |
| 200 — — | 6 to 8 ft. | 5.00 | 45.00 |
| 25 — <i>prinos</i> , | 6 to 7 ft. | 5.00 | |
| 100 — <i>rubra</i> , | 6 to 8 ft. | 6.50 | 60.00 |
| 100 — — | 5 to 6 ft. | 5.00 | 40.00 |
| 200 <i>Rhamnus catharticus</i> , | 2 to 3 ft. | .60 | 5.00 |
| 200 — — | 1 to 2 ft. | .50 | 4.00 |
| 200 — <i>frangula</i> , | 2 to 3 ft. | 1.00 | 8.00 |
| 50 <i>Rhodotypos kerrioides</i> , | 3 to 4 ft. | 1.50 | 12.00 |
| 500 — — | 2 to 3 ft. | 1.25 | 10.00 |
| 50 <i>Rhus aromatica</i> , | 18 to 24 in. | 3.00 | 25.00 |
| 300 — — | 12 to 18 in. | 2.50 | 20.00 |
| 10000 — <i>copallina</i> collected, | 1 to 2 ft. | | 4.00 |
| 25 — <i>Cotinus</i> (Smoke tree), | 3 to 4 ft. | 2.50 | |
| 50 — <i>typhina</i> , | 5 to 8 ft. | 2.50 | 20.00 |
| 50 — — | 3 to 4 ft. | 1.25 | 10.00 |
| 1000 — — <i>col.</i> , | 1 to 3 ft. | | 4.00 |
| 400 — <i>glabra</i> | 12 to 18 in. | 1.00 | 7.00 |
| 10 — — <i>laciniata</i> , | 3 to 4 ft. | 2.50 | |
| 50 <i>Ribes aureum</i> , | 4 to 5 ft. | 1.50 | 12.00 |
| 100 — — | 3 to 4 ft. | 1.25 | 10.00 |

WILD ROSES.

| | | Per 10 | Per 100 |
|--|--------------|--------|---------|
| 500 <i>Rosa blanda</i> , fine, | 18 to 24 in. | 1.00 | 9.00 |
| 50 — <i>Carolina</i> , | 3 ft. | 1.25 | 10.00 |
| 900 — <i>lucida</i> , | 18 to 24 in. | 1.00 | 9.00 |
| 1000 — <i>rubiginosa</i> , | 2 to 3 ft. | 1.00 | 8.00 |
| 1000 — — | 18 to 24 in. | .75 | 6.00 |
| 100 — <i>rubrifolia</i> , | 12 to 18 in. | 1.00 | 8.00 |
| 200 — <i>rugosa</i> , | 2 to 3 ft. | 1.25 | 10.00 |
| 300 — — | 18 to 24 in. | 1.00 | 8.00 |
| 125 — — <i>alba</i> , | 3 to 4 ft. | 1.60 | 15.00 |
| 500 — <i>Setigera</i> , | 2 ft. | 1.00 | 9.00 |
| 700 — <i>Wichuriana</i> , | 3 yrs. | 1.00 | 8.00 |
| 2000 — Hybrid Perpetual in the following var. No. 1, 2 yr. | | 1.75 | 15.00 |

Abel Carriere, velvety crimson.
 Alfreda Colomb, carmine.
 American Beauty, red.
 Anna de Diesbach, pink.
 Baron de Rothschild, light rose.
 Br. de Bonstette, rich maroon.
 Captain Christy, delicate rose.
 John Hopper, bright rose.
 Jules Magottin, bright rose.

Caroline Testout, satiny pink.
 Celine Forestier, light yellow.
 Coquette des Alpes, white.
 Fisher Holmes, dark red.
 General Jacqueminot, dark red.
 General Washington, crimson.
 Gloire Lyonnaise, light yellow.
 Gruss aus Teplitz.
 Mrs. John Laing, pink.

Kaiserin Augusta Victoria.

LaFrance, silvery rose.

Magna Charta, pink.

Mme. Gabriel Luizet, soft rose.

Margaret-Dickson, white.

M. P. Wilder, carmine red.

Mrs. R. G. Sharman Crawford, pink

Mrs. Charles Wood, crimson.

Monsieur Boncenne, dark red.

P. C. deRohan, deep crimson.

Paul Neyron, dark rose.

Persian Yellow.

Ulrich Brunner, cherry red.

Soleil d'Or, yellow.

| | | Per 10 | Per 100 |
|------------------------|--------------|--------|---------|
| 25 Rosa Mme. Plantier, | 3 to 4 ft. | 1.20 | |
| 50 — — — | 2 to 3 ft. | 1.00 | 8.00 |
| 50 — — Geo. Bruant, | 12 to 18 in. | 2.00 | 15.00 |

CLIMBING ROSES.

| | | Per 10 | Per 100 |
|---|------------|--------|---------|
| Will be cut back to about 2 ft. unless ordered. | | | |
| 20 Baltimore Belle, | 3 to 4 ft. | 1.20 | |
| 400 Crimson rambler (heavy), | 2 to 3 ft. | 1.50 | 12.00 |
| 175 Debutante, white, | 2 to 3 ft. | 1.50 | 12.00 |
| 100 Dorothy Perkins, | 2 to 3 ft. | 1.25 | 10.00 |
| 300 Lady Gay, | 1 yr. | 1.25 | 10.00 |
| 50 Prairie Queen, | 2 to 3 ft. | 1.20 | |
| 200 W. C. Egan, | 2 to 3 ft. | 2.50 | 20.00 |
| 250 Setigera and Wichuriana, | 2 to 3 ft. | 2.50 | 20.00 |

The Setigera and Wichuriana is a hybrid of these two well known roses. It retains the good foliage and trailing habit of Wichuriana. The flower large, single, beautiful shell pink.

This is one of the best new roses in this line.

| | | | |
|------------------------|------------|------|-------|
| 200 Sweetheart, white, | 2 to 3 ft. | 1.50 | 20.00 |
| 150 Moss roses, | 2 to 3 ft. | 2.00 | 15.00 |

Blanch Robert. Henry Martin. Salet.

| | | |
|--|------|-------|
| 150 Rosa Madam Norbert Levasseur Baby Rambler, | 1.75 | 15.00 |
|--|------|-------|

| | | | |
|--|------------|------|-------|
| 50 Rubus odoratum, | 2 to 3 ft. | 1.00 | 8.00 |
| 50 Salix Babylonica (Wisconsin Weeping), | 7 to 8 ft. | 2.00 | 15.00 |
| 500 — — — | 4 to 6 ft. | 1.25 | 10.00 |
| 200 — Britzensis, | 4 to 5 ft. | 1.75 | 15.00 |
| 300 — — 1 yr., | 2 to 3 ft. | 1.00 | 8.00 |
| 300 — pentandra, | 3 to 4 ft. | 1.25 | 10.00 |
| 300 — — 1 yr., | 2 to 3 ft. | 1.00 | 8.00 |
| 25 — myrtifolia, bushy plants, | 3 to 4 ft. | 2.00 | |
| 30 Sambucus Canadensis, | 2 to 3 ft. | 1.00 | |
| 30 — — var. aurea, | 2 to 3 ft. | 1.50 | |
| 150 Spiræa, Anthony Waterer, | 24 in. | 1.00 | 8.00 |

| | | Per 10 | Per 100 |
|------|--|------------------------------|------------|
| 150 | <i>Spiræa</i> , Anthony Waterer, stocky, | 8 to 12 in. | .80 6.00 |
| 200 | — <i>arguta multiflora</i> , | 2 to 3 ft. | 1.25 10.00 |
| 250 | — — — | 18 to 24 in. | 1.00 8.00 |
| 50 | — Billardii, | 3 to 4 ft. | 1.00 8.00 |
| 50 | — Bumalda, | 3 ft. | 1.50 12.00 |
| 25 | <i>Spiræa cantoniensis</i> fl. pl. (Reevesianna), | 2 to 3 ft. | 1.25 |
| 10 | — discolor, var. <i>ariaefolia</i> , | 3 to 4 ft. | 1.50 |
| 25 | <i>Spiræa Japonica</i> (callosa) red, | 2 to 3 ft. | 1.00 |
| 300 | — Thunbergii, | 2 ft. | 1.25 10.00 |
| 300 | — — | 18 to 24 in. | 1.00 8.00 |
| 1000 | — Van Houttei, | 2 to 3 ft. | 1.25 10.00 |
| 300 | — — — | 2 ft. | 1.00 8.00 |
| 300 | <i>Stephanandra flexuosa</i> , | 3 ft. | 1.50 12.00 |
| 250 | <i>Symphoricarpus racemosa</i> , | 2 to 3 ft. | 1.25 10.00 |
| 1000 | — <i>vulgaris</i> , | 2 to 3 ft. | 1.00 8.00 |
| 500 | — — 1 yr., | 18 to 24 in. | .70 6.00 |
| 30 | <i>Syringa Japonica</i> , Tree Lilac, | 6 to 8 ft. | 4.00 |
| 30 | — — — | 5 to 6 ft. | 3.00 |
| 50 | — <i>Josikæa</i> , | 4 to 5 ft. | 2.50 20.00 |
| 10 | — — Rothamagensis, | 3 to 4 ft. | 2.00 |
| 20 | — <i>villosa</i> , | 5 to 6 ft. | 2.50 |
| 40 | — — | 2 to 3 ft. | 1.75 |
| 10 | — <i>vulgaris</i> (clumps) heavy, | 3 to 4 ft. | 2.50 |
| 200 | — — | 2 to 3 ft. | 1.25 10.00 |
| 200 | — — | 12 to 18 in. | .75 6.00 |
| 10 | — — <i>alba</i> , heavy, | 3 to 4 ft. | 5.00 |
| 200 | — — — | 2 to 3 ft. | 1.25 10.00 |
| 500 | — — in following named var., grafted on <i>Syringa</i> , stocky plants from 2 to 4 ft., according to variety, 5 years, | | 5.00 40.00 |
| | <i>Alba grandiflora</i> | Virginite (double) | |
| | Alexandre von Humboldt (double) | Marie Legraye, 18 to 24 in. | |
| | Alphonse Lavalley (double) | Mathieu de Dombasle (double) | |
| | Bertha Dammann, best single white | Maxime Cornu (double) | |
| | Charles X. | President Carnot (double) | |
| | Lemoinei flore pleno (double) | Senator Volland (double) | |
| | Souvenir de L. Spath, 2 to 3 ft. | | |
| 150 | <i>Tamarix Gallica</i> , | 2 to 3 ft. | 1.00 8.00 |
| 100 | <i>Tilia Americana</i> , | 6 to 8 ft. | 3.50 30.00 |
| 100 | — — | 5 to 6 ft. | 2.00 15.00 |
| 100 | — <i>Europæa</i> , | 7 to 8 ft. | 3.50 30.00 |
| 100 | — — | 5 to 6 ft. | 2.50 20.00 |
| 500 | <i>Ulmus Americana</i> , | 5 to 6 ft. | 15.00 |
| 15 | — <i>Campestris</i> , English Elm, 1½ to 2 in. 10 to 12 ft. | | 10.00 |

| | | Per 10 | Per 100 |
|------|---|--------------|------------|
| 100 | <i>Viburnum acerifolium</i> , | 2 ft. | 3.00 25.00 |
| 100 | — <i>cassinoides</i> , | 2 to 3 ft. | 3.00 25.00 |
| 250 | — — | 18 to 24 in. | 1.75 15.00 |
| 150 | — — | 12 to 18 in. | 1.50 12.00 |
| 200 | — <i>dilatatum</i> , red berried, | 18 to 24 in. | 3.00 25.00 |
| 50 | — <i>dentatum</i> , | 4 to 5 ft. | 2.00 15.00 |
| 100 | — — | 2 to 3 ft. | 1.25 10.00 |
| 600 | — — | 18 to 24 in. | 1.00 8.00 |
| 150 | — <i>Lantana</i> , | 3 to 4 ft. | 1.75 15.00 |
| 100 | — — | 2 to 3 ft. | 1.25 10.00 |
| 1000 | — <i>molle</i> , | 3 to 4 ft. | 1.50 12.00 |
| 500 | — — | 2 to 3 ft. | 1.25 10.00 |
| 150 | — <i>opulus</i> , | 3 ft. | 1.50 12.00 |
| 500 | — — | 2 to 2½ ft. | 1.25 10.00 |
| 500 | — — | 18 to 24 in. | 1.00 8.00 |
| 100 | — — <i>Sargenti</i> , | 2 to 3 ft. | 1.25 10.00 |
| 100 | — — <i>sterillis</i> , common snowball, | 5 to 6 ft. | 1.50 12.00 |
| 175 | — <i>plicatum</i> , | 2 to 2½ ft. | 2.50 18.00 |
| 10 | — <i>prunifolium</i> , | 3 to 4 ft. | 3.50 |
| 100 | — <i>pubescens</i> , | 18 to 24 in. | 2.00 15.00 |
| 30 | — <i>tomentosum</i> , | 3 ft. | 2.00 |
| 50 | — — | 12 to 18 in. | 1.50 12.00 |
| 100 | — <i>venosum</i> , 3 yrs. trans., | 2 to 3 ft. | 1.50 12.00 |
| 500 | <i>Vitex Agnus castus</i> , | 18 to 24 in. | 1.00 8.00 |
| 5 | <i>Xanthoceras sorbifolia</i> , | 12 to 18 in. | 2.50 |
| 75 | <i>Yucca filamentosa</i> , 3 yrs., | | 1.00 8.00 |

VINES AND CLIMBERS.

| | | Per 10 | Per 100 |
|------|--|------------|------------|
| 25 | <i>Actinidia arguta</i> , 3 yrs., strong, | 2.50 | |
| 75 | <i>Actinidia arguta</i> , 2 yrs., strong, | 2.00 | 15.00 |
| 500 | <i>Ampelopsis quinquefolia</i> , strong, 3 yrs., | 1.00 | 8.00 |
| 200 | — <i>Englemanni</i> , strong, 2 yrs., | 1.00 | 8.00 |
| 1000 | — <i>Veitchi</i> , 3 yrs. trans., | 1.25 | 10.00 |
| 100 | <i>Apios tuberosa</i> , | .50 | 4.00 |
| 10 | <i>Aristolochia sipo</i> , | 3 to 4 ft. | 5.00 |
| 300 | <i>Bignonia radicans</i> , strong, | 1.00 | 8.00 |
| 300 | <i>Celastrus paniculata</i> , strong, | 3 to 4 ft. | 1.25 10.00 |
| 100 | — <i>scandens</i> , strong, | 2 to 3 ft. | 1.00 8.00 |
| 200 | — — light, | .80 | 6.00 |
| 100 | <i>Clematis apiifolia</i> , strong, | 1.25 | 10.00 |
| 20 | — <i>Jackmanni</i> , | 3.00 | |

| | | Per 10 | Per 100 |
|------|--|-----------------|---------|
| 20 | Clematis Henryi, | 3.00 | |
| 100 | — Mongolica, 3 yrs., | 5.00 | |
| 500 | — paniculata, 3 yrs., | 2.00 | 15.00 |
| 100 | Ipomæa pandurata, Man of the Earth (pieces), | 1.25 | 12.00 |
| | — roots, 2 to 3 ft., \$1.50 to \$2.00 each | | |
| 100 | Lonicera, Alberti, | 1 to 2 ft. 1.50 | 12.00 |
| 400 | — Japonica, Halleana, 1 yr., fine | 1.25 | 10.00 |
| 25 | — sempervirens (Scarlet Trumpet), | 2 to 3 ft. 1.50 | |
| 50 | — Sullivanti (Yellow Trumpet), | 3 ft. 1.50 | |
| 450 | Periploca Græca, | 2 ft. 1.00 | 8.00 |
| 1000 | Vinca minor, dble. blue and mixed, | .75 | 5.00 |
| 25 | Wistaria multijuga alba, strong, | 5 to 6 ft. 5.00 | |
| 175 | — Sinensis, strong, 3 yrs., | 2.50 | 20.00 |
| 10 | — — alba, strong, | 5.00 | |

EVERGREENS.

| | | Per 10 | Per 100 |
|------------------------------------|---------------------------------------|-------------------------------------|---------|
| Transplanted two or three times. | | | |
| 50 | Abies concolor, | 2 to 3 ft. 20.00 | |
| 25 | — — | 18 to 24 in. 15.00 | |
| 10 | — nigra, | 2 to 3 ft. each 1.00 | |
| 40 | Buxus sempervirens, pyramids, | 3 ft., each, 2.00 | |
| 50 | — — — | 2 ft., each, 1.00 | |
| 10 | — — — | 2 ft. stem, 1 ft. crown, each, 2.00 | |
| 700 | — — — | 12 to 15 in. 2.50 | 20.00 |
| 200 | — — — | 6 to 8 in. 1.25 | 10.00 |
| Above box all have balls of earth. | | | |
| 100 | Chamaecyparis (Retinospora) pisifera, | 12 in. 2.00 | 15.00 |
| 15 | — — — aurea, | 3 to 4 ft. 20.00 | |
| 15 | — — — — | 2 to 3 ft. 10.00 | |
| 50 | — — — — | 12 to 18 in. 5.00 | 40.00 |
| 35 | — — — — plumosa, | 3 to 4 ft. 6.00 | |
| 60 | — — — — | 2 to 3 ft. 4.00 | 35.00 |
| 125 | — — — — | 12 to 18 in. 2.00 | 15.00 |
| 10 | — — — — aurea | 2 to 3 ft. 5.00 | |
| 150 | — — — — | 12 to 18 in. 3.00 | 25.00 |
| 125 | — — — — | 8 to 12 in. 2.00 | 15.00 |
| 20 | — — squarrosa | 2 to 3 ft. 6.00 | |
| 25 | — — — | 8 to 12 in. 2.00 | |
| 25 | Juniperus communis | 3.00 | |
| 50 | — — aurea | 5.00 | 40.00 |
| 50 | — — — | 4.00 | 30.00 |
| 10 | Juniperus Virginiana, | 5 to 6 ft. 6.00 | |
| 400 | — — — | 2 ft. and up 3.00 | 25.00 |

| | | Per 10 | Per 100 |
|-----|-----------------------------------|--------------------|--------------|
| 200 | <i>Juniperus Virginiana</i> | 18 to 24 in. | 2.50 20.00 |
| 25 | <i>Picea alba</i> , | 2 to 3 ft. | 4.00 |
| 90 | — <i>excelsa</i> (Norway Spruce), | 2 to 3 ft. | 4.00 30.00 |
| 400 | — — — — | 18 to 24 in. | 3.00 25.00 |
| 350 | — — — — | 12 to 18 in. | 2.00 15.00 |
| 50 | — <i>pungens</i> | 3 to 4 ft. | 15.00 100.00 |
| 50 | — — | 2 to 3 ft. | 10.00 80.00 |
| 20 | — — (Koster Blue), | 2 ft. | 20.00 |
| 50 | <i>Pinus Austriaca</i> , | 3 to 4 ft. | 6.00 50.00 |
| 100 | — <i>mugho</i> , | 6 to 8 in. | 2.00 17.50 |
| 50 | — <i>strobis</i> , | 3 to 4 ft. | 4.00 35.00 |
| 50 | — — | 15 to 20 in. | 1.50 10.00 |
| 12 | — — <i>nana</i> Wt. Pine dwf., | 1 ft. | 20.00 |
| 200 | — <i>sylvestris</i> , | 10 to 12 in. | 2.00 15.00 |
| 20 | <i>Pseudotsuga Douglassi</i> , | 3 to 4 ft. | 10.00 |
| 100 | — — | 2 to 3 ft. | 7.50 60.00 |
| 20 | <i>Taxus cuspidata</i> , | 18 to 24 in. each, | 2.00 |
| 50 | <i>Thuja occidentalis</i> , | 3 to 4 ft. | 3.50 30.00 |
| 125 | — — | 2 to 3 ft. | 2.50 20.00 |
| 400 | — — | 12 to 18 in. | 1.25 10.00 |
| 500 | — — | 8 to 12 in. | 1.00 8.00 |
| 25 | — — <i>aurea</i> , | 3 to 4 ft. | 7.50 |
| 150 | — <i>Siberica</i> , | 12 to 18 in. | 2.00 15.00 |
| 100 | <i>Tsuga Canadensis</i> , | 2 to 3 ft. | 6.00 50.00 |
| 200 | — — | 18 to 24 in. | 5.00 40.00 |
| 500 | — — | 12 to 18 in. | 3.00 20.00 |

HERBACEOUS PERENNIALS.

| | | Per 10 | Per 100 |
|-----|---|--------|---------|
| 100 | <i>Achillea serrata</i> , The Pearl, | .75 | 6.00 |
| 100 | <i>Agrostemma coronaria</i> , | .60 | 5.00 |
| 50 | <i>Alyssum saxatile</i> , Gold Dust, | .75 | |
| 200 | <i>Althea rosea</i> , Hollyhocks, | 1.00 | 8.00 |
| 500 | <i>Anthemis tinctoria</i> , | .50 | 4.00 |
| 500 | <i>Aquilegia</i> , Columbines in variety, | 1.00 | 8.00 |
| 50 | <i>Arabis alpina</i> , | 1.00 | |
| 200 | <i>Armeria</i> , Thrift, | 1.00 | 8.00 |
| 200 | <i>Asclepias tuberosa</i> , 2 yrs., | .60 | 5.00 |
| 500 | — — 1 yr., | | 3.00 |
| 500 | <i>Aster Novæ-Angliæ purpurea</i> , | .60 | 5.00 |
| 500 | — — — var. <i>rosea</i> , | .60 | 5.00 |
| 500 | <i>Astilbe Japonica</i> , clumps, | .50 | 4.00 |
| 200 | <i>Boltonia asteroides</i> , | 1.00 | 8.00 |
| 50 | — <i>latisquama</i> , | 1.00 | |

| | Per 10 | Per 100 |
|--|--------|---------|
| 100 <i>Campanula persicifolia</i> , blue, | 1.00 | 8.00 |
| 50 — — white, | 1.00 | |
| 50 <i>Cerastium tomentosum</i> , | 1.00 | |
| 500 <i>Coreopsis grandiflora</i> , | .60 | 5.00 |
| 200 <i>Delphinium elatum</i> , Hybrid Larkspur, | 1.00 | 8.00 |
| 100 — <i>grandiflorum</i> , Chinese Larkspur, | 1.00 | 8.00 |
| 100 <i>Dicentra spectabilis</i> , Bleeding Heart, | 1.00 | 8.00 |
| 25 <i>Dictamnus Fraxinella</i> , red and white, | 1.50 | |
| 200 <i>Digitalis purpurea</i> , Foxglove in variety, | 1.00 | 8.00 |
| 100 <i>Epimedium</i> , red and yellow, | 1.00 | 8.00 |
| 100 <i>Funkia lancifolia</i> , | 1.00 | 8.00 |
| 100 — <i>ovata</i> , | 1.00 | 8.00 |
| 100 — — <i>marginata</i> , | 1.00 | 8.00 |
| 50 — <i>Sieboldiana</i> | 1.25 | |
| 500 <i>Gaillardia grandiflora</i> , | .60 | 5.00 |
| 500 <i>Gypsophila paniculata</i> , | .80 | 6.00 |
| 100 <i>Helenium autumnale</i> , | .60 | 5.00 |
| 200 <i>Helianthus mollis</i> , | .60 | 5.00 |
| 200 — Miss Mellish, | 1.00 | 8.00 |
| 500 <i>Hemerocallis flava</i> , | .60 | 5.00 |
| 5000 — <i>fulva</i> , \$20.00 per 1,000, | .40 | 3.00 |
| 200 <i>Hibiscus Moscheutos</i> , 2 yrs., | .60 | 5.00 |
| 200 <i>Iberis Gibraltica</i> , Hardy Candytuft, | 1.00 | 8.00 |
| 300 <i>Iris Germanica</i> , colors separate, | .75 | 6.00 |
| 300 — Japan or Kæmpfers, colors separate, | .75 | 6.00 |
| 100 <i>Lathyrus latifolius</i> , rose heavy, | .75 | 6.00 |
| 100 — — white, | 1.00 | 8.00 |
| 500 <i>Liatris scariosa</i> , | .75 | 5.00 |
| 200 <i>Lupinus polyphyllus</i> , | .75 | 6.00 |
| 100 <i>Lysimachia nummularia</i> , | .50 | 4.00 |
| 100 <i>Mertensia Virginia</i> , Lung-wort, | 1.00 | 8.00 |
| 2000 <i>Mitchella repens</i> , Partridge Berry, sod, | .60 | 5.00 |
| 500 <i>Monarda didyma</i> , | 1.00 | 8.00 |
| 100 <i>Orobis vernus</i> , | 1.00 | 8.00 |
| 1000 <i>Phlox paniculata</i> in following var. (<i>decussata</i>), | 1.25 | 10.00 |
| Alhambra, pink, white centre, | | |
| Aurora borealis, light crimson, | | |
| Beranger, salmon, shading to white | | |
| Coquelicot bright red, | | |
| Crepuscle, lilac, crimson centre, | | |
| Esperance, lilac, | | |
| Fedora, large light pink, | | |
| Ferdinand Cortez, bright crimson, | | |
| Independence, pure white, large, | | |

Per 10 Per 100

| | | |
|--|------|-------|
| James Galloway, crimson, | | |
| Lumineux, large pink, centre light, | | |
| Matador, orange, scarlet, red eye, | | |
| Michael Buckner, light pink, dark centre, | | |
| Mme. Meuret, bright red, | | |
| Mme. P. Langier, bright red, | | |
| Ornament, large red, | | |
| Pantheon, salmon rose, | | |
| Wm. Muhle, large salmon pink, | | |
| Saisons Liervol, white, pink eye, | | |
| Phlox subulata, atropurpurea, | 1.00 | 8.00 |
| — — light blue, | 1.00 | 8.00 |
| — — lilac, | 1.00 | 8.00 |
| — — white, | 1.00 | 8.00 |
| 100 Platycodon, grandiflora, blue, | 1.00 | 8.00 |
| 100 — — white, | 1.00 | 8.00 |
| 500 Polygonum, amplexicaule, | .75 | 6.00 |
| 500 — cuspidatum, | .75 | 6.00 |
| 1000 Peonies, named var., | 2.00 | 15.00 |
| 100 Pyrethrum uliginosum, | 1.00 | 8.00 |
| 500 Rudbeckia, Golden Glow, | .60 | 5.00 |
| 200 — subtomentosa, | 1.00 | |
| 200 — speciosa, | .60 | 5.00 |
| 500 Sabbatia chloroides, | .60 | 5.00 |
| 1000 Solidago, Golden Rod, names not known, | .50 | 4.00 |
| 500 Spiræa Filipendula, | .50 | 4.00 |
| 100 — palmata rosea, | 1.00 | 8.00 |
| 100 — — var. elegans white, | 1.00 | 8.00 |
| 100 — Ulmaria, dble. white, | 1.00 | 7.00 |
| 100 Vernonia Novaboracensis, | 1.00 | 8.00 |
| 500 Viola Schönbrunn, small plants, single, hardy, | .75 | 6.00 |

FRUIT TREES, GRAPES, SMALL FRUITS, ASPARAGUS AND RHUBARB.

APPLES, $\frac{3}{4}$ in. caliper, 5 to 7 ft. .25 each

Summer.

| | |
|----------------|---------------------|
| Early Harvest, | Tetofsy, |
| Red Astrachan, | Yellow Transparent, |

Fall.

| | |
|-----------------|---------------|
| Gravenstein, | Porter, |
| Maiden's Blush, | McIntosh Red, |

Winter.

Baldwin,
Ben Davis,
Fameuse,
Hubbardston,
Crab, Yellow and Red,

Northern Spy,
Rhode Island Greening,
Russet Golden,
Russet Roxbury,
Talman Sweeting,

CHERRIES,
Black Tartarian,
Early Richmond,
May Duke,
Napoleon,

5 to 7 ft. .40 each
Smith's,
Windsor, black,
Yellow Spanish,

GRAPES, two years,
Concord, black,
Early Ohio, black,
Moore's Early, black,
Wilder, black,
Niagara, white,

Each Per 10 Per 100
.15 1.30 10.00
Perkins, white,
Agawan, red,
Brighton, red,
Delaware, red,
Salem, red,

PEACHES,
Belle of Georgia,
Carman,
Champion,
Crawford's Early,
Crawford's Late,
Elberta,
Chairs Choice,

4 to 5 ft. .15 1.30 12.00
Crosby,
Mayflower, 30 cents
Mountain Rose,
Old Mixon Free,
Stump of the World,
Waddell,

PEARS,
Beurre d'Anjou,
Bartlett, 50 cents,
Beurre Bosc, 50 cents,
Clapp's Favorite,
Duchess d'Angouleme,

Each Per 10 Per 100
5 to 7 ft. .30 each
Lawrence,
Louis Bonne de Jersey,
Osband's Summer,
Seckel,
Sheldon,

PLUMS, European varieties,
Coe's Golden Drop,
Bradshaw,
German Prune,
Green Gage,

5 to 7 ft. .30 each
Lombard,
Washington,
Yellow Egg,

| | | Each | Per 10 | Per 100 |
|---|----------------------|------------|--------|---------|
| PLUMS, Japanese varieties, | | 5 to 7 ft. | .30 | each |
| Abundance, | Red June, | | | |
| Burbank, | Setsuma, | | | |
| Chabot, | Wickson, | | | |
| QUINCE, | | 3 to 4 ft. | .30 | each |
| Champion, | Orange, | | | |
| BLACKBERRIES, | | | .40 | 3.00 |
| Kittatiny, | Snyder, | | | |
| Leucetia (Dewberry), | | | | |
| CURRENTS, 2 years, | | | .75 | 6.00 |
| Black Naples, | Fay's prolific, red, | | | |
| Cherry red, | White Grape, | | | |
| GOOSEBERRIES, Downing, 2 years, | | .15 | 1.30 | 10.00 |
| Industry, 2 years, | | | 1.50 | 14.00 |
| RASPBERRIES, | | | .40 | 3.00 |
| Cuthbert, | Miller's, | | | |
| Blackcap, | | | | |
| ASPARAGUS, Conover's Colossal, two years, | | | .15 | 1.00 |
| RHUBARB, Linnæus, | | .15 | 1.00 | 6.00 |
| STRAWBERRIES, Bubach, | | | .10 | .75 |
| Excelsior, | | | .10 | .75 |
| Marshall, | | | .10 | .75 |
| Nich Ohmer, | | | .10 | .75 |
| Minute Man, | | | .10 | .75 |
| Splendid, | | | .10 | .75 |

Fruits wanted in quantity can be furnished on all lists received before the middle of March. Prices will be quoted on any list of varieties calling for 100 or more Apples, 100 or more Peaches, etc., etc.

Varieties of fruits not offered in this list, we can obtain, at a reasonable price, when the order is received before the middle of March.

